


Hydraulic system for
the top roll



Digital read-out for top
roll




MAH 40/3

STANDARD FEATURES

- Three rolls driven
- Standard rolls
- Guide rolls
- Horizontal and vertical working position
- Foot pedal with safety device
- Digital read-out for top roll


1		80 X 10 Ø700	6		Ø60,3X3,2 Ø1200	11		60X60X7 Ø600
2		100 X 20 Ø700	7		70X30X2 Ø1500	12		60X60X7 Ø600
3		40 X 40 Ø700	8		50X50X2,5 Ø1300	13		60X60X7 Ø600
4		Ø40 Ø700	9		45X45X5 Ø700	14		UPN100 Ø800
5		Ø70X2 Ø1500	10		45X45X5 Ø700	15		UPN100 Ø800



Hydraulic system for
the top roll



Digital read-out for top
roll



MAH 60 / 3

STANDARD FEATURES

- Three rolls driven
- Standard rolls
- Guide rolls
- Horizontal and vertical working position
- Foot pedal with safety device
- Digital read-out for lower rolls
- Hydraulic adjustment of the lower rolls

1		100 X 12 Ø800	6		Ø76,1X3,2 Ø1500	11		70X70X8 Ø800
2		120 X 20 Ø800	7		80X40X3 Ø2500	12		70X70X8 Ø800
3		45 X 45 Ø800	8		60X60X3 Ø2600	13		70X70X8 Ø800
4		Ø45 Ø800	9		50X50X5 Ø800	14		UPN120 Ø850
5		Ø80X2 Ø1500	10		50X50X5 Ø800	15		UPN120 Ø850

TYPE	MAH		
	40 / 3	60 / 3	80 / 3
SHAFTS DIAMETER (mm)	Φ 45	Φ 55	Φ 65
ROLLS DIAMETER (mm)	Φ 148	Φ 170	Φ 195
TURNING SPEED (rpm)	12	11	10
POWER (kW)	3,7	5,5	5,5
DIMENSIONS (mm)	1200x770x1450	1300x890x1570	1500x1000x1660
WEIGHT (kg)	540	740	1050