


MAH 60/3 CNC


STANDARD FEATURES

- Three rolls driven
- Standard rolls, Guide rolls
- Horizontal and vertical working position
- CNC digital panel with touch screen display
- Foot pedal with safety device
- Mechanical adjustment of lower rolls

1		100 X 12 Ø800	6		Ø76,1X3,2 Ø1500	11		70X70X8 Ø800
2		120 X 20 Ø800	7		80X40X3 Ø2500	12		70X70X8 Ø800
3		45 X 45 Ø800	8		60X60X3 Ø2600	13		70X70X8 Ø800
4		Ø45 Ø800	9		50X50X5 Ø800	14		UPN120 Ø850
5		Ø80X2 Ø1500	10		50X50X5 Ø800	15		UPN120 Ø850



MAH 120/3 CNC



During bending a sample, every radius and all upper roll movements obtained are saved into the program. Using these values it can bend unlimited number of pieces, with the same diameter and dimensions, and control the number of the produced pieces.

The C.N.C. system has the capacity to edit/erase 100 different programs and 100 different profiles. There is also the possibility to work in manual mode.

TYPE	MAH C.N.C.						
	60/3	80/3	120/3	150/3	170/3	200/3	250/3
SHAFTS DIAMETER (mm)	Φ 55	Φ 65	Φ 80	Φ 100	Φ 150	Φ 190	Φ 220
ROLLS DIAMETER (mm)	Φ 170	Φ 195	Φ 247	Φ 300	Φ 320	Φ 396	Φ 495
TURNING SPEED (rpm)	11	10	8	0-7	0-6	0-5	0-5
POWER (Kw)	4	5,5	7,5	11	11	18,5	25
DIMENSIONS (mm)	1300x890 x1570	1500x1000 x1660	1620x1250 x1660	1900x1400 x1900	2350x2500 x1600	2500x2800 x2000	2500x3000 x2100
WEIGHT (kg)	740	1050	1450	2750	5100	7200	9400